

MADE IN KUWAIT



شركة الركب

لخدمات النفط والكهرباء والإنشاءات ش.م.ك.مقفلة

Al-Rakeb Company
Oil, Electricity & Construction Services K.S.C.C



البتترول الوطنية
KNPC

**Mobile Petrol Filling Station
Approved by KNPC**



EN 1090-1
ISO 3834:2021

www.tuv.com
ID 9000029904


ISO 9001
ISO 14001
ISO 45001
BUREAU VERITAS
Certification



2026 Edition

www.rak.com.kw
info@rak.com.kw

For over two decades, Al-Rakeb has leveraged deep industry insights to enhance its structural steel fabrication standards across the GCC. By addressing market gaps and delivering innovative solutions, we have established ourselves as an industry leader. Operating from a state-of-the-art, 25,000-square-meter facility in Mina Abdullah, Kuwait, equipped with advanced CNC machinery, our agile business model sets new regional benchmarks. Buoyed by our international growth, clear vision, and dedicated team, we remain committed to achieving excellence in structural steel.




Mobile Petrol Filling Station

The Mobile Petrol Filling Station (MPFS), manufactured by Al-Rakeb Company, is a self-contained fueling solution built within a standard 40-foot High Cube ISO container. Designed to supply fuel in remote sites such as oil rigs and boat docks without conventional fueling infrastructure, it houses two separate 20,000-liter storage tanks connected by a bypass flange, allowing either two distinct fuel types or a combined 40,000-liter capacity. The unit features integrated fuel dispensers, an air-conditioned control cabin, real-time level monitoring, and extensive safety equipment—including automatic fire suppression, leak detection, and explosion-proof components certified to UL-142 and IEC 60079-14 standards.



Mobile Petrol Filling Station



Submersible Pump

Emergency Vent

Level Switch

Level Probe

Mobile Petrol Filling Station



Overfilling Valve

EXD Console


Shutt-off valve

EXD Explosion
Proof Light Switch

EXD Explosion Proof
Emergency Switch

TANK
CONTROL
ROOM
AUTHORISED
PERSONNEL
ONLY

Mobile Petrol Filling Station



Emergency Phone

Leak Alarm

Explosion Proof
Light Switch

Automatic Diesel
Filling System

ATG Automatic
Gauging System

Synchronization
Panel



Mobile Petrol Filling Station - Service Service Truck



Clients - Kuwait National Guard



Clients - Ministry of Interior Kuwait



Clients - Kuwait National Petroleum Company - KNPC

شركة البترول الوطنية الكويتية

KNPC

إحدى شركات مؤسسة البترول الكويتية
A Subsidiary of Kuwait Petroleum Corporation



Training- AlRakeb Engineers Trained KNPC Engineers

شركة البترول الوطنية الكويتية

إحدى شركات مؤسسة البترول الكويتية
A Subsidiary of Kuwait Petroleum Corporation

KNPC



Training- AlRakeb Engineers Trained KNPC Engineers

شركة البترول الوطنية الكويتية

إحدى شركات مؤسسة البترول الكويتية
A Subsidiary of Kuwait Petroleum Corporation

KNPC



Mobile Petrol Filling Station

AlRakeb Performed Factory Acceptance Test (FAT)
and Site Acceptance Test (SAT) for KNPC

شركة البترول الوطنية الكويتية
تمثيلها في الكويت
A Subsidiary of Kuwait Petroleum Corporation

KNPC



Clients - Al-Rakeb Trained KNPC

شركة البترول الوطنية الكويتية
A Subsidiary of Kuwait Petroleum Corporation



شركة البترول الوطنية الكويتية
A Subsidiary of Kuwait Petroleum Corporation



شهادة تقدير

السيد / سعد سالم القطان

رئيس مجلس الإدارة - شركة الركب لخدمات النفط والكهرباء والإنشاءات

وذلك تقديراً لجهود شركتكم الموقرة وتعاونكم لإنجاز مشروع توريد محطات تعبئة الوقود المتنقلة والتي أعقبها تدريب لبعض موظفين شركتنا من قبل شركتكم.


ثامر محمد النفيسي
مدير التسويق المحلي

ديسمبر 2025

للكل

Mobile Petrol Filling Station

RAK



AL-RAKEB OIL, ELECTRICITY & CONSTRUCTION SERVICES COMPANY

AL-RAKEB OIL, ELECTRICITY & CONSTRUCTION SERVICES CO.
T: +965 22201815 E: INFO@RAK.COM.KW
F: +965 22201818 E: MES@RAK.COM.KW
WWW.RAK.COM.KW
ADDRESS: WEST DHUKHAB INDUSTRIAL AREA
BLOCK 8 PLOT 4, KUWAIT

RAK

MOBILE PETROL FILLING STATION

YEAR OF PRODUCTION	2025
MODEL NUMBER	RAK-MPFS-2025-40
SERIAL NUMBER	RAK-KNPC-40MPFS-004
MANUFACTURED BY	AL-RAKEB OIL, ELECTRICITY & CONSTRUCTION SERVICES COMPANY
GROSS WEIGHT	25000 KG – 25 TON / 55,116 LB
POWER RATING	415 V / 50 HZ
CAPACITY	2 TANKS – 20,000 L / 5283 US GAL EACH TOTAL : 40,000 L / 10,566 GAL
CONTAINER	ISO STANDARD 40 FT
CERTIFICATION	UL-142 / IEC 60079-14

MADE IN KUWAIT

CUATION
LIFT ONLY WHEN EMPTY
FLAMMABLE MATERIAL

RAK

UL IEC 60079-14

Key System Specifications

01

Container Structure

40 ft HC Container or Customized Design

02

Storage Capacity

40,000 L Capacity (Up to 2 Products)

03

Tank Certification

UL-142 Certified Storage Tank

04

Electrical Compliance

IEC 60079-14 Flameproof Standard

05

Local Manufacturing

Made in Kuwait

Mobile Petrol Filling Station - General Layout



- 01



Control Room
Climate-controlled operating space equipped with AC unit for station monitoring and power control.
- 02



Dispenser Section
Dedicated fuel dispensing compartment featuring heavy-duty roll-up security shutters on both sides.
- 03




Tank 1 (20,000 L)
Primary 20,000 L fuel storage tank integrated with interconnected bypass valve linkage.
- 04



Tank 2 (20,000 L)
Secondary double-walled 20,000 L fuel compartment equipped with an 8-inch bypass flange for flow equalization.
- 05



Infeed Section
Fuel intake system featuring camlock couplings, inline valves, and a bottom retention tray for spill containment.



Mobile Petrol Filling Station - Double Wall Tank

RAK

01

Prevent Leak

Secondary containment barrier engineered to prevent fuel leakage and soil contamination.

02

Safety

Robust dual-shell integrity maximizing operational safety and hazardous spill containment.

03

EPA Standard


Fully compliant with EPA guidelines and rigorous international fuel storage standards.

04


Environment Friendly

Eco-conscious design protecting ecosystems from hydrocarbon vapors and fluid exposure.

Section View



3D Isometric Internal Layout



RAK

Specifications

RAK

Technical Parameter		Standard Specification Details
1 Tank & Structural Design		
	Tank Construction	Double-Wall Aboveground Steel Storage Tank (Carbon Steel)
	Capacity Options	20,000 Liters to 40,000 Liters (Single or Dual-Compartment)
	Shell & Outer Thickness	6 mm Inner Shell / 6 mm Outer Shell for maximum containment safety
	Container Frame	ISO Standard High Cube Containers 20 and 40 feet.
2 Fuel Dispensing & Pumping System		
	Dispenser Unit	Commercial / Heavy-duty dual hose dispenser with automatic nozzle
	Pumping Capacity	Explosion-proof positive displacement pump (40 L/min flow rate)
	Filtration System	Multi-stage particle separation and water coalescing filtration unit
	Flow Meter Accuracy	High-precision volumetric meter with $\pm 0.2\%$ calibration accuracy
3 Safety, Electrical & Compliance		
	Electrical Rating	Ex-d / Ex-e Flameproof (UL IEC 60079-14 certified installation)
	Leak & Overfill Protection	Continuous interstitial leak detection sensor & overfill protection system
	Fire Suppression	Automatic dry powder / fire extinguisher system with emergency stop
	Certifications	ISO 9001 / 14001 / 45001, UL 142, DNV-GL & Kuwait Fire Force Approved



6 mm

Double Wall Steel Shell



40,000 L

Max Storage Capacity



UL & IEC

Ex-Proof Standards



KFF Approved

Kuwait Fire Force Licensed

Fuel Management System

RAK

Main Challenges



Received Quantity

Inaccurate received Diesel quantity/quality risk

01

Problem



Fuel Level

Manual operation to monitor the fuel level which might affect fuel supply timing

02

Problem



Discharge control

Manual discharging for Dispensed fuel with manual tracking for Quantity/vehicle

03

Problem



Problems

01

Solution

Automatic Tank Gauging

Measure Tank level change before and after filling



02

Solution

Live wet stock management

Full control of different probs and will give full control, alarms



03

Solution

RFID

Full control on Fuel discharge



GILBARCO
VEEDER-ROOT

RAK

Fuel Management System



Main features for LIGO



WETSTOCK CONTROL

TLS-450PLUS VEEDEER-ROOT




DISPENSERS **CONTROLLER** **TAG READER** **AVI** **SITE CONTROL**

GILBARCO VEEDEER-ROOT

Fuel Management System

RAK

LIGO – Full Control



RAK

Machinery



RAK




RAK

Machinery




RAK



RAK

Machinery

RAK



RAK

Machinery



RAK



RAK

Machinery



RAK



RAK

Certifications - UL 142 Label

RAK



Individual Serial Number & Traceability Summary

Every tank manufactured is individually issued a designated UL 142 certification label stamped with its own unique serial number. This guarantees full product traceability, rigorous quality control, and **certified compliance in the United States of America (USA)** and international safety standards for flammable and combustible liquid storage tanks.










UL 142 Label on Mobile Fueling Station

For Flammable & Combustible Liquid Storage Tanks

RAK

Al-Raikeb Oil Electricity & Construction Services Company K.S.C.C.
Mobile Petrol Filling Station Applications

RAK





Case Study

UL Helps Al-Rakeb Achieve Their Goals Through Remote Inspection Service

Al-Rakeb Co.



Empowering Trust[®]

Introduction

Remote areas, such as desert regions, pose a distinct challenge to companies seeking to work there while depending on fuel for their vehicles and machinery when such resources are traditionally hard to come by. Looking to help solve that challenge in the Middle East's deserts, Al-Rakeb Co., a Kuwaiti manufacturer of medium and heavy steel products and systems, such as tanks and steel frames for port harbors, developed a new, innovative solution.

Al-Rakeb Co. designed the Al-Rakeb Mobile Filling Station to operate in remote locations to service vehicles and equipment without access conventional gas stations. It can fuel cars, trucks, gasoline vehicles, diesel vehicles, construction or mining machinery, boats, and yachts. With minor modifications, the station can fuel helicopters and light aircraft, too.


As a transportable product, mobile fuel stations can be moved to virtually any location. It allows consumers to store up to two types of fuel by having two separate tanks with a capacity of 20,000 liters (about 5,250 gallons) each, separated by a bypass flange. When opened, the flange allows a total capacity of 40,000 liters (about 10,500 gallons).

UL's expertise in the HazLoc industry was a valuable asset for our team and helped us understand how to access new global markets.

- Saad Salem Al-Qattan, CEO of Al-Rakeb Co.



Al-Rakeb Factory
Credit: Al-Rakeb Co.



Starting point of the project with UL

Al-Rakeb Co. approached the Kuwait National Guard (KNG) and presented the mobile fuel stations to the national defense institution. KNG expressed interest and requested a thorough third-party investigation before making any decisions about purchasing the product.

The Kuwaiti company began to establish their trust in UL, the global safety science leader, through working on the initial project in which they obtained certification against UL 142, the Standard for Safety for Steel Aboveground Tanks for Flammable and Combustible Liquids, for their above-ground, flammable liquid tank. Al-Rakeb Co. relied on UL's Energy and Industrial Automation group to review all electrical equipment and wiring methods used to build its mobile fuel stations.

Hazardous locations and remote inspection challenges

During the project discovery phase, the option for product certification was completely discarded. To certify the Al-Rakeb Mobile Filling Station, the original equipment manufacturers of all the product components would have to pass on their proprietary test reports to UL for evaluation. The main difficulty was that Al-Rakeb Co. would have been responsible for procuring all proprietary reports for UL to review and in the hazardous locations (HazLoc) industry, components usually have multiple certifications for different markets. The required logistics, time and resources presented significant obstacles against the certification.

“We had internal discussions and opted for a letter report without certification, providing a safety-related engineering service,” said Robert Deadman, senior staff engineer, UL’s Energy and Industrial Automation group. “Al-Rakeb Co. agreed with that decision.”

The letter report would cover a wide range of activities that included:

- Identification of design documents
- Identification of the applicable standards used
- Verification of the electrical equipment covered
- Inspection report for wiring methods
- Results of the inspection

Once UL’s engineering team and Al-Rakeb Co. collaborated to identify the design documents and applicable standards, the next step was the desk review portion. A desk review’s objectives focus on validating all the components in the product and helping assure

the components are used correctly according to their technical documentations and instructions.


The next step was the review of the electrical equipment and inspection of the wiring methods used in the mobile fuel stations. Due to the COVID-19 pandemic, the inspections needed to take place remotely. Deadman oversaw the remote inspection of all electrical equipment, wiring methods and interconnections following guidelines in the International Electrotechnical Commission System for Certification to Standards Relating to Equipment for Use in Explosive Atmospheres (IECEx) OD 024. UL’s engineering team reviewed the integrated equipment based on IEC 60079-14, the International Standard for Electrical Apparatus for Explosive Gas Atmospheres.

UL’s specialists faced the challenge of conducting a remote inspection for a brand-new product while helping Al-Rakeb Co. learn more about market differences and nuances in the HazLoc industry. To balance these demands successfully, UL’s engineering team exchanged as much knowledge as possible with the Al-Rakeb Co. teams through bi-weekly online meetings during the desk review phase and in daily online meetings during the inspection phase.


“UL’s expertise in the HazLoc industry was a valuable asset for our team and helped us understand how to access new global markets,” said Saad Salem Al-Qattan, founder and CEO of Al-Rakeb Co.

In July 2021, UL issued a letter

report to Al-Rakeb Co. regarding the remote inspections results, based only in a review of all the electrical equipment and wiring methods used in the construction of the mobile fuel station. UL’s letter report to Al-Rakeb Co. demonstrates the product was reviewed and inspected for hazardous locations as specified in Al-Rakeb’s area classification drawing.



Al-Rakeb Mobile Filling Station
Credit: Al-Rakeb Co.



Mobile fuel stations go to market

The Kuwait Fire Force accepted the letter report, and the Al-Rakeb Mobile Filling station went to market in Kuwait. Al-Rakeb Co. is the first and only organization situated in the Middle East region whose mobile fuel station received a letter report from UL. "This project was vital for our mission to deliver quality, safe products to our customers," Al-Qattan said. "We are glad to be part of the development of our national manufacturing."

As soon as the letter report was issued, the Kuwait National Guard acquired four Al-Rakeb Mobile Filling Stations. Al-Rakeb Co. has also received multiple orders from major companies in the oil and gas industry located in the Gulf Cooperation Council (GCC).

This project was vital for our mission to deliver quality, safe products to our customers.


- Saad Salem Al-Qattan, CEO of Al-Rakeb Co.



UL.com

© 2022 UL LLC. All rights reserved. This document may not be copied or distributed without permission. It is provided for general information purposes only and is not intended to convey legal or other professional advice.

UL Certificate of Compliance
Flammable & Combustible Tanks



RAK



تجارة الكويت

من عام 1911م إلى عام 1917م

وفقاً لما وثقته السجلات التجارية

البريطانية الرسمية

شهدت الكويت نشاطاً تجارياً شمل استيراد

مختلف السلع عبر البواخر، ومن بينها

الكيروسين الذي كان يُعبأ في



صفائح معدنية داخل صناديق خشبية



ومن استيراد الكيوسين قديما في
صفائح معدنية
إلى صناعة كويتية متطورة
لمحطات الوقود المتنقلة
المخصصة لتزويد مختلف أنواع الوقود
الكيوسين / الديزل / وقود الطائرات



Our Historical Heritage



Our Historical Heritage

PRODUCTS AND TRADE

287

145

percentage of the exports. Next come the other countries round the Gulf, Turkish 'Irâq, Persia, and the Arabian Coast, collectively responsible in three years between 1911 and 1914, for 19-24 % of exports, and 25-27 % of imports. Hardly anything is sent to Europe from Koweit, all the exports going to India and the Gulf; of imports during the same period the United Kingdom claimed rather less than 6 %, Germany and the United States about 2 % each.


The chief imports, with their average values in thousands of pounds sterling, were, for the same three years : Piece-goods (chiefly from India and the United Kingdom), 77 ; rice (India), 57 ; specie, 53 ; sugar (Germany, Austria, India), 20 ; coffee (chiefly India), 17 ; tea (India), 7 ; coir (India), 5 ; enamelled ware (Austria), 4 ; kerosene (United States), 3 ; arms and ammunition (France), 3 ; all the above are brought in steamers. The following come in native boats : tobacco (Turkish Arabia), 13 ; barley (Persia), 11½ ; water (Shatt el-'Arab), 10½ ; dates (Arabia), 7 ; timber (India), 5 ; rice (India and Turkish Arabia), 3½ ; piece-goods (Persia), 1½.

Exports by steamer are : pearls (to India), 46½ ; specie (India, &c.), 30½ ; *ghi* (from Nejd and Jebel Shammar to Bahrein and Persia), 2 ; horses and live stock (India and Bahrein), 1½.

By native craft the only considerable exports are *ghi* (to Bahrein), 4½ ; tea (Persia and Turkish Arabia), 3½ ; rice, 3 ; timber (Turkish Arabia), 1½ ; sheepskins (Russia), 1½ ; sugar (Persia), 1. Other articles average less than £1,000 in value. The administration of the customs is entrusted by the Sheikh to an Arab director, a native of Koweit, whose management is stated to be fairly efficient. New sheds have been erected, and hand-power cranes are said to have been ordered.

The maritime trade of Koweit would derive great advantage from the establishment of a post office ; it was hoped that this improvement might be effected in 1914. It is clear that the future destiny of the port largely depends on its choice or rejection as the terminus of the Baghdad Railway.

A certain proportion of the Koweit imports goes inland by caravan to Nejd and Jebel Shammar. During the recent disturbances in Central Arabia, much of the interior trade was diverted to Basra and Nejef. But the truce between Ibn Rashid and Ibn Sa'iid was favourable to the resumption of desert traffic ; and from 1912 and 1913 caravans are reported to have been coming and going regularly to and from Boreidah and Aneizah. The following rates obtained in 1913-14 for camel-transport : Goods for Boreidah and Aneizah or Zilf, 4½ riyals (9s.) per maund (121½ lb.);



Our Historical Heritage

Kuwait Products and Trade – Page 287

British records concerning Kuwait's trade between 1911 and 1914 highlight the commercial ties that linked Kuwait to regional markets, with Kuwaiti exports being directed toward India and various Gulf states.

Among Kuwait's primary imports at the time was kerosene (paraffin), sourced from the United States, with an average annual value of 3,000 pounds sterling; this commodity was transported to Kuwait via steamships.

To regulate commercial activity, the administration of the Customs Department was entrusted to a Kuwaiti director—whose management efficiency was noted in British reports. Furthermore, new warehouses were constructed, and there are references to a request for manually operated cranes to facilitate the handling of goods.

During this period, there was a focus on developing services related to maritime trade in Kuwait. British records underscore the importance of enhancing postal services and the resulting benefits for maritime commerce—improvements that were anticipated to be realized during 1914.

Additionally, the future of the port of Kuwait was linked to the possibility of it being selected as the terminus for the Baghdad Railway.

A portion of Kuwait's imports was transported into the interior regions via caravans bound for Najd and Jabal Shammar.

الكويت المنتجات والتجارة – الصفحة 287

تشير السجلات البريطانية المتعلقة بتجارة الكويت خلال الفترة من عام 1911م إلى عام 1914م إلى العلاقات التجارية التي ربطت الكويت بالأسواق الإقليمية، حيث كانت الصادرات الكويتية تتجه إلى الهند ودول الخليج.


ومن بين الواردات الرئيسية للكويت آنذاك الكيروسين (النفط الأبيض) المستورد من الولايات المتحدة الأمريكية، بمتوسط قيمة سنوية بلغ ثلاثة آلاف جنيه إسترليني، وكانت هذه السلعة تُنقل إلى الكويت بواسطة البواخر البخارية.

وفي إطار تنظيم الحركة التجارية، كانت إدارة الجمارك تُعهد إلى مدير من أبناء الكويت، وقد أشارت التقارير البريطانية إلى كفاءة إدارته، كما أنشئت مستودعات جديدة، ووردت إشارات إلى طلب رافعات تعمل بالطاقة اليدوية لتسهيل عمليات مناولة البضائع.

وشهدت تلك الفترة اهتماماً بتطوير الخدمات المرتبطة بالتجارة البحرية في الكويت، حيث أشارت السجلات البريطانية إلى أهمية تطوير الخدمات البريدية وما لذلك من فوائد للتجارة البحرية، وكان مأمولاً تحقيق هذا التحسين خلال عام 1914م.

فضلاً عن ارتباط مستقبل ميناء الكويت بإمكانية اختياره محطة نهائية لسكة حديد بغداد.

وكان جزء من واردات الكويت تُنقل إلى المناطق الداخلية بواسطة القوافل المتجهة إلى نجد وجبل شمر.



Our Historical Heritage



صورة تاريخية لعبوة معدنية أصلية للكيروسين الأمريكي (النفط الأبيض).

تُظهر الصورة عبوة معدنية تحمل العلامة التجارية

PEARL OIL KEROSENE

Standard Oil Company of California

الأمريكية، بسعة خمس غالونات أمريكية، وهي نموذج تاريخي للعبوات المستخدمة في تعبئة الكيروسين ونقله وتداوله خلال القرن العشرين.



صورة تاريخية لصندوق خشبي أصلي مخصص لشحن الكيروسين الأمريكي.

تُظهر الصورة صندوقاً خشبياً أصلياً يحمل العلامة التجارية


PEARL OIL KEROSENE

Standard Oil Company of California

الأمريكية، وكان مخصصاً لشحن ونقل عبوات الكيروسين المعدنية.

ويظهر على الصندوق النقش **2 5-GAL. CANS**، الذي يشير إلى أنه كان يتسع لعبوتين معدنتين، سعة كل منهما خمس غالونات أمريكية.

Our Historical Heritage



Content

This volume primarily concerns the preparation and submission of annual trade reports. Most of the volume consists of copies of trade reports for Kuwait (for each financial year from 1912-1913 up to and including 1916-1917), which are submitted by the Political Agent, **Kuwait** (Captain William Henry Irvine Shakespear; Lieutenant-Colonel William George Grey; Major Robert Edward Archibald Hamilton).

المحتوى

يتناول هذا المجلد، في المقام الأول، إعداد وتقديم التقارير التجارية السنوية، ويتألف معظم محتوياته من نسخ لتقارير تجارية خاصة بالكويت (عن كل سنة مالية، بدءاً من عام 1912-1913 وحتى عام 1916-1917 ضمناً)، وهي تقارير قدمها الوكيل السياسي في الكويت (كل من النقيب ويليام هنري إيرفين شكسبير، والمقدم ويليام جورج غري، والراند روورت إدوارد أرشيبالد هاملتون).



Our Historical Heritage

42

Transport. Merchandise is transported to the interior solely by camel caravans and the following were the rates during the year for the most important places:—

For.	Rate.	Per.
Zulf, Boreidah and Anairah . . .	\$4½ = £0 9 0	Per maund of 27 Voglahs = 121½ lb.
Shagra, Majma'a and Riadh . . .	\$5 = £0 10 0	do.
Hail . . .	\$7 = £0 14 0	do.

Note.—For cases of tea, haberdashery, etc., the rates were 50 per cent higher than those quoted above.

The Sheikh levies a tax of \$1 to \$2 (2 to 4 shillings) on goods exported to the interior, the following being the scale:—

Coffee . . .	\$2 per camel load of 8½ bags.
Sugar . . .	\$1 per camel load of 2 bags.
Rice . . .	Free.
Piece-goods . . .	\$2 per camel load of 2 Bils. or Bāls.
Iron ware . . .	\$1 per camel load.
Kerosene oil . . .	\$1 per camel load of 6 cases.

In addition to the above a further tax of \$½ per camel is said to be extorted in transit by Bedouin Sheikhs and another \$½ per camel at Anaizah ostensibly for the safety of caravan routes.

Freights. Freight during the year for Kuwait were at £0 16 0 to £1 0 0 per ton to Karachi and Bombay by the British India Steam Navigation Company, Limited, and £0 13 4 to £0 16 0 per ton by the Arab Steamers, Limited. Neither of these lines booked cargo from Kuwait direct to any European Port in 1913-1914.

Exchange. The only coins which fluctuate in value in the market are Turkish liras and Maria Teresa dollars. The former were exchanged at an average rate of £0 18 2 per lira during the year

1913-1914 and the latter at the rates given below for the 12 months:—

	£. s. d.	per	\$100.
April . . .	9-18-4	"	"
May . . .	9-16-0	"	"
June . . .	9-14-8	"	"
July . . .	9-16-8	"	"
Aug. . .	9-17-4	"	"
Sept. . .	10-6-0	"	"
Oct. . .	10-1-4	"	"
Nov. . .	9-17-4	"	"
Dec. . .	9-19-8	"	"
Jany. . .	9-18-8	"	"
Feby. . .	9-18-8	"	"
March . . .	9-18-0	"	"

Post Office. It is hoped that a regular post office will be established at Kuwait during 1914-1915.

General. The trade statistics are compiled from the manifest Books of the shipping companies and although endeavours are made to form as correct an estimate of the trade as possible the figures must be received with some reserve since great accuracy is not possible. But it is certain that the volume of trade is not over-estimated either in the steamer or the bongalow traffic for care has been taken to value the different articles at their cost price rates and were proper statistics available, as at Persian Ports, it is almost certain that they would show much better results than those disclosed by the attached tables. Moreover no record is available of unmanifested goods which are imported by merchants who periodically visit Bombay on commercial business. This alone would probably give a substantial increase in the imports by steamers.

W. G. GREY, Lieut.-Colonel,
Political Agent, Kuwait.

KUWAIT,
Dated the May 1914.

الكويت - النقل والتجارة - مايو 1914م

تشير التقارير البريطانية إلى أن نقل البضائع إلى داخل الكويت والجزيرة العربية كان يتم بواسطة قوافل الجمال، التي كانت تؤدي دوراً أساسياً في حركة التجارة ونقل السلع إلى مختلف المناطق.

ومن بين البضائع المنقولة الكيوسين (زيت الغاز)، حيث كانت حمولة الجمل الواحد تتكون من ستة صناديق من الكيوسين، وتُفرض عليها ضريبة مقدارها شلن واحد لكل حمولة جمل.

أما أجور الشحن البحري من الكويت، فقد كانت تختلف بحسب الوجهة وشركة الملاحة، مما يعكس ارتباط حركة التجارة الكويتية آنذاك بوسائل النقل البحري والبحري.

وقد وردت هذه المعلومات ضمن تقرير رسمي مؤرخ في مايو 1914م، أعده ديليو جي. غري (ليوتنانت كولونيل)، والمعتمد السياسي البريطاني في الكويت.

Kuwait - Transportation and Trade - May 1914

British reports indicate that goods were transported to inland areas of Kuwait and the Arabian Peninsula by camel caravans, which played a vital role in trade and the distribution of goods to various regions.

Among the goods transported was kerosene (paraffin oil), with each camel carrying a load of six cases of kerosene, subject to a tax of one shilling per camel load.

Maritime freight charges from Kuwait varied depending on the destination and shipping company, reflecting the importance of both sea and land transportation in Kuwait's commercial activities during that period.

This information was documented in an official report dated May 1914, prepared by W. G. Grey, Lieutenant Colonel and British Political Agent in Kuwait.



Our Historical Heritage

ARABIA
KUWAIT



المصادر: مكتبة قطر الرقمية

Sources: Qatar Digital Library

<https://www.qdl.qa/en>



Our Historical Heritage

KUWAIT

٧١

بسمه
٤٠٠٠
٤٠٠٠
٧
نظان ستين عي ثمانية آلاف ربيه
سيخرج المدفوع نقداً عن نظان السنه الاولى
الباقى اربعة آلاف للسنه الثانيه

نعم اني خليل بن ابراهيم القطان قد التزم من تاريخه ادناه فوفت سدي ومولوي الشيخ مبارك الصباح عن نظان الكا خانه
التي هي مخرج البلد كنه ستين كما مدت بسم اربعة آلاف ربيه كل سنه وفتد الكا عن نظان
هن السنه اربعة آلاف ربيه نقداً ومن انتهاها ودخول سنه الثانيه ملزوم ان ادفع في اوائل محرم نظان السنه
الثانيه وهو اربعة آلاف ربيه ايضاً واني راض وقد قبلت بالشروط وهو ان آخذ من التجار الذي يجلبون الكا زعلى
كل صندوق آتئين في اوائل كل اربعة اشهر اليوم الواحد اعتباراً عن اربعة اشهر اعتباراً عن يوم وقد عطي
هذا الالتزام من يدي كيداً يخفى و
كوت تحريراً في غرة محرم ١٣٣٣

خليل بن
ابراهيم القطان

A historical document dated 1914 from Khalil ibn Ibrahim Al-Qattan to Sheikh Mubarak Al-Sabah, Ruler of Kuwait, recording Khalil ibn Ibrahim Al-Qattan's commitment to guaranteeing the kerosene trade in Kuwait for a period of two years.

8,000 Rupees for a Two-Year Lease 4,000 Rupees paid in cash for the first year's lease.

The remaining 4,000 Rupees are for the second year, I, Khalil ibn Ibrahim Al-Qattan, have, as of the date below, committed to my master and patron, Sheikh Mubarak Al-Sabah, to lease the kazkhana (kerosene depot) located outside the town for a full period of two years, at a rate of 4,000 Rupees per year. I have now paid 4,000 Rupees in cash for the first year's lease. Upon the conclusion of this year and the commencement of the second, I am obligated to pay the lease amount for the second year—also 4,000 Rupees—at the beginning of the month of Muharram. I have consented to and accepted the terms, which include the right to collect a fee of two annas per case from merchants importing kerosene, payable at the beginning of every four-month period. This commitment has been provided as a formal record.

Kuwait, dated the 1st of Muharram, 1333 AH.

Khalil ibn Ibrahim Al-Qattan

وثيقة تاريخية مؤرخة عام 1914م من خليل بن إبراهيم القطان إلى الشيخ مبارك الصباح، حاكم الكويت، تتضمن التزام خليل بن إبراهيم القطان بضمان الكازخانة المرتبطة بتجارة الكيروسين في الكويت لمدة سنتين.

٨٠٠٠ رويية ضمان سنتين عن ثمانية آلاف رويية ٤٠٠٠ سيخرج المدفوع نقداً عن ضمان السنه الاولى ٤٠٠٠ الباقي اربعة آلاف للسنه الثانيه

نعم اني خليل بن ابراهيم القطان قد التزم من تاريخه أدناه لحضرة سيدي ومولاي الشيخ مبارك الصباح على ضمان الكازخانة التي هي خارج البلد لمدة سنتين كاملات بسعر أربعة آلاف رويية كل سنة وحده وقد دفعت الآن عن ضمان هذه السنه أربعة آلاف رويية نقداً وعند انتهائها ودخول سنة الثانية ملزوم ان ادفع في اوائل محرم ضمان السنه الثانيه وهو أربعة آلاف رويية ايضاً واني راض وقد قبلت بالشروط وهو ان آخذ من التجار الذين يجلبون الكاز على كل صندوق آتئين في اوائل كل أربعة اشهر واليوم الواحد اعتباراً عن أربعة اشهر والأربعة اشهر اعتباراً عن يوم وقد أعطيت هذا الالتزام في يدي كي لا يخفى :

كوت تحريراً في غرة محرم 1333
خليل بن ابراهيم القطان





شركة الركب

لخدمات النفط والكهرباء والإنشاءات ش.م.ك.مقفلة

Al-Rakeb Company
Oil, Electricity & Construction Services K.S.C.C



البتترول الوطنية
KNPC

Mobile Petrol Filling Station Approved by KNPC



EN 1090-1
ISO 3834:2021

www.tuv.com
ID 9000029904

ISO 9001
ISO 14001
ISO 45001
BUREAU VERITAS
Certification

